## Pyramidea ICP311CMPLUS macchina per caffè Automatica/Manuale Macchina da caffè combi 0,6 L

Marchio: Pyramidea Codice prodotto: ICP311CMPLUS

Nome del prodotto: ICP311CMPLUS

Macchina del caffè 3 in 1 ICP311+ IdeaCafè

Pyramidea ICP311CMPLUS macchina per caffè Automatica/Manuale Macchina da caffè combi 0,6 L:

Potenza 1450 W

Sistema di pompaggio italiano a 19 Bar 7 lunghezze di caffè selezionabili Indicatore luminoso di lunghezza 2 temperature di erogazione Capacità 0,6L (30 tazze)
Tempo di erogazione (1 tazza) 25 s
Tempo di riscaldamento 20 s
Accessorio incluso per capsule nespresso Accessorio incluso per capsule dolce gusto Accessorio incluso per cialde Accessori integrabili

Accessori integrabili Ventose per una maggiore stabilità Sistema di risparmio energetico Dimensioni 11,5 x 28 x 25 cm

Lunghezza Cavo 1,3 m

Pyramidea ICP311CMPLUS. Tipo di prodotto: Macchina da caffè combi, Tipologia macchina del caffé: Automatica/Manuale, Capacità tanica acqua: 0,6 L, Tipologia di caffè utilizzato: Capsule caffè, Cialde caffè, Caffè macinato, Vaschetta per caffè preparato: Tazza, Brocca, Capacità in tazze: 30 tazze. Tipo di display: Analogico. Potenza: 1450 W. Colore del prodotto: Cappuccino. Capsule di caffè incluse





Coffee maker type *       Semi-auto       Hot chocolate making       *         Two cups at once       X       Chocolate milk making       *         Two jugs at once       X       Orzo making       *         Coffee capsule/pod system       Universal       Hot and cold beverages making       *         Reservoir for brewed coffee*       Cup, Jug       *         Reservoir for brewed coffee*       Cup, Jug       *         Maximum operating pressure       19 bar       Housing material       ABS synthetics         Maximum operating pressure       19 bar       Control type *       Buttons         Built-in grinder *       X       Control type *       Buttons         Ground coffee container capacity       1 cups       Built-in display *       *         Variable brewing chamber       X       Usible water level       *         Variable brewing chamber       X       Wisble water level       *         Wilk tank       X       Removable water tank       Cappuccino         Hot water system *       Y       Young to feet       *         Hot water system *       X       Standby function       *         Adjustable temperature       X       Standby function       *         Fast heat	Performance		Cooking functions & programs	
Two jugs at once X Orzo making Y Coffee capsule/pod system Universal Hot and cold beverages making Y Reservoir for brewed coffee * Cup, Jug Bryonmics	Coffee maker type *	Semi-auto	Hot chocolate making	✓
Coffee capsule/pod system  Reservoir for brewed coffee* Cup, Jug  Reservoir for brewed coffee* Cup, Jug  Reservoir for brewed coffee* Capacity in cups* 30 cups  Maximum operating pressure 19 bar Control type* Built-in grinder*  Cornor offee container capacity Variable brewing chamber  X  Siplay type  Will water level Will water system* Vanable heating system X  Adjustable temperature X  Adjustable temperature Cornor offee control type Electronic East heat  Preheat function Appliance placement* Countertop Product type*  Combi coffee capsule, Coffee pod, Ground coffee Coffee input type* Calc-clean function  Vaniomatic anti-calc  Viny bar and cold beverages making  Fregnomics  Respondics  Fregnomics  ABS synthetics Buttons  ABS synthetics Buttons  ABS synthetics Buttons  Buttons  Buttons  ABS synthetics Buttons  ABS synthetics Buttons  ABS synthetics Buttons  V  Analog  Analog	Two cups at once	×	Chocolate milk making	✓
Reservoir for brewed coffee * Cup, Jug	Two jugs at once	×	Orzo making	✓
Capacity in cups*30 cupsErgonomicsMaximum operating pressure19 barHousing materialABS syntheticsBuilt-in grinder*XControl type *ButtonsGround coffee container capacity1 cupsBuilt-in display *✓Variable brewing chamberXDisplay typeAnalogBuilt-in milk frotherXRemovable water level✓Milk tankXRemovable water tank✓Hot water system*✓Product colour *CappuccinoDouble heating systemXStandby function✓Adjustable temperatureXCord length1.3 mTemperature control typeElectronicIlluminated on/off switch✓Fast heat✓Backlight buttons✓Preheat function✓Easy to clean✓Appliance placement*CountertopEasy to use✓Product type *Combi coffee makerEasy to use✓Water tank capacity *Combi coffee pod, Ground coffeePower1450 WCoffee input type *Coffee capsule, Coffee pod, Ground coffeeAC input voltage230 VCalc-clean function✓Energy saving mode✓Automatic anti-calc✓Power consumption (max)1450 W	Coffee capsule/pod system	Universal	Hot and cold beverages making	✓
Capactry in cups* 30 cups  Maximum operating pressure 19 bar Housing material ABS synthetics  Built-in grinder* X Control type * Buttons  Ground coffee container capacity 1 cups Built-in display * ✓  Variable brewing chamber X Visible water level ✓  Built-in milk frother X Removable water tank  Hot water system * ✓  Double heating system X Standby function ✓  Adjustable temperature X Cord length 1.3 m  Temperature control type Electronic Illuminated on/off switch  Fast heat ✓  Preheat function ✓  Appliance placement * Countertop Easy to clean ✓  Product type * Combi coffee maker Easy to use  Variable water level ✓  Power  Programmable ✓  Coffee capsule, Coffee pod, Ground coffee input type * Coffee input type * Coffee input type * Coffee input type * Coffee capsule, Coffee pod, Ground coffee Calc-clean function ✓  Automatic anti-calc ✓  Power Consumption (max) 1450 W			Frannomics	
Built-in grinder *  Ground coffee container capacity Variable brewing chamber  Wisible water level  Built-in milk frother  X  Wisible water level  Wisible water tank  Removable water tank  Won-slip feet  Vondet colour *  Non-slip feet  Vondet eating system  X  Adjustable temperature  X  Adjustable temperature  Electronic  Fast heat  Yereheat function  Appliance placement *  Countertop  Product type *  Combi coffee maker  Water tank capacity *  Combi coffee capsule, Coffee pod, Ground coffee  Calc-clean function  Y  Automatic anti-calc  X  Control type *  Buttons  Buttons  Buttons  Buttons  Product colour *  Conpicyle water level  Y  Analog  Analo	· · · ·	•	•	ADC averable ability
Ground coffee container capacity Variable brewing chamber X Variable brewing chamber X Wisible water level Visible water tank Milk tank X Removable water tank Whot water system X Non-slip feet Variable temperature X Cappuccino Non-slip feet Variable temperature X Cord length Illuminated on/off switch Variable temperature Variable temperature Variable temperature Variable temperature Variable temperature Variable temperature X Cord length Illuminated on/off switch Variable temperature Var	Maximum operating pressure	19 bar		•
Variable brewing chamber X Display type Analog  Built-in milk frother X Removable water level Y  Milk tank X Removable water tank Y  Double heating system X Acan Non-slip feet Y  Adjustable temperature X Standby function Y  Temperature control type Electronic Illuminated on/off switch Y  Preheat function Y Backlight buttons Y  Appliance placement X Countertop Easy to clean Y  Product type X Combi coffee maker Y  Water tank capacity X O.6 L Power  Programmable Y Power Accinput frequency Son Hz  Colfee input type X Coffee capsule, Coffee pod, Ground coffee Mach Coffee input type X Combi coffee Mach Coffee Pod, Ground Coffee Mach Coffee Input type X Combi coffee Mach Coffee Pod, Ground Coffee Mach Mach Mach Mach Mach Mach Mach Mach	Built-in grinder *	×	· ·	
Built-in milk frother  X Milk tank  Hot water system*  Double heating system  X Adjustable temperature  X Temperature control type  Electronic  Illuminated on/off switch  Preheat function  Appliance placement*  Countertop  Product type*  Combi coffee maker  Water tank capacity*  Double capsule, Coffee pod, Ground coffee input type*  Coffee input type*  Coffee capsule, Coffee pod, Ground coffee function  Automatic anti-calc  V isible water level  Y Removable water lank  Y Removable water tank  Y Removable water tank  Y Cappuccino  Anno-slip feet  Y Cord length  Li3 m  Li3 m  Li3 m  Li3 m  Li4 Cord length  Li3 m  Li4 Cord length  Li3 m  Li4 Cord length  Li5 m  Li5 m  Y Power  Product type stocken  Y Power  Act input voltage  Act input voltage  Coffee capsule, Coffee pod, Ground  Coffee  Act input frequency  Act input frequency  For Hz	Ground coffee container capacity	1 cups		
Milk tank	Variable brewing chamber	×		Analog
Hot water system *  Product colour *  Non-slip feet	Built-in milk frother	×		<b>✓</b>
Hot water system *	Milk tank	×		✓
Double heating system  Adjustable temperature  X Cord length Illuminated on/off switch Fast heat  Preheat function  Appliance placement * Countertop Product type * Water tank capacity * Programmable  Coffee input type * Coffee capsule, Coffee pod, Ground Calc-clean function  Automatic anti-calc  X Standby function  ✓ Cord length Illuminated on/off switch  ✓ Backlight buttons  ✓ Easy to clean  ✓ Easy to clean  ✓ Power  Fast heat  Power  AC input voltage AC input frequency Fooltage avoing mode  ✓ Power consumption (max)  At 50 W	Hot water system *	✓		Cappuccino
Adjustable temperature  Temperature control type  Electronic  Flast heat  Preheat function  Appliance placement *  Countertop  Product type *  Combi coffee maker  Water tank capacity *  Programmable  Coffee capsule, Coffee pod, Ground coffee  Calc-clean function  Automatic anti-calc  Cord length  1.3 m  1.3 m  1.3 m  1.3 m  1.3 m  1.3 m  1.4 M  Acinput on/off switch  Power  Easy to clean  Fasy to clean  Power  Power  Acinput voltage Acinput voltage Acinput frequency Foundation  Automatic anti-calc  Power consumption (max)  1.450 W  1.50 W	Double heating system	×	·	✓
Temperature control type Fast heat  Preheat function  Appliance placement *  Combi coffee maker  Water tank capacity *  Programmable  Coffee input type *  Coffee capsule, Coffee pod, Ground Coffee function  Automatic anti-calc  Cord length  I.3 m  Illuminated on/off switch  Fask heat  Fask heat  V  Backlight buttons  Fasy to clean  Fasy to use  V  Power  Fasy to use  V  Power  AC input voltage AC input frequency  Energy saving mode  V  Fower consumption (max)  1.3 m  1.1	Adjustable temperature	×	Standby function	✓
Fast heat  Preheat function  Appliance placement * Product type *  Water tank capacity *  Programmable  Coffee input type *  Coffee capsule, Coffee pod, Ground Coffee function  Automatic anti-calc  Very packet on the packet of the podd of the pod	· ·		•	1.3 m
Appliance placement * Countertop Easy to clean    Froduct type * Combi coffee maker    Water tank capacity * 0.6 L    Programmable    Coffee capsule, Coffee pod, Ground coffee mount in put type * Coffee capsule, Coffee pod, Ground coffee    AC input frequency    AC input frequency    Easy to clean    * Ac input voltage    AC input frequency    Energy saving mode    Automatic anti-calc    * Power consumption (max)    1450 W	,	<b>✓</b>	Illuminated on/off switch	✓
Appliance placement * Countertop Easy to clean    Product type * Combi coffee maker    Water tank capacity * 0.6 L    Programmable    Coffee input type * Coffee capsule, Coffee pod, Ground coffee    Coffee input type * Coffee capsule, Coffee pod, Ground coffee    Calc-clean function    Automatic anti-calc    Countertop    Easy to clean    Power    Ac input voltage    AC input voltage    AC input frequency    Energy saving mode    Automatic anti-calc    Fower consumption (max)    1450 W	Preheat function	1	Backlight buttons	✓
Product type * Combi coffee maker  Water tank capacity * 0.6 L  Programmable  Coffee input type * Coffee capsule, Coffee pod, Ground coffee  Calc-clean function  Automatic anti-calc  Combi coffee maker  Easy to use  Power  Ac input voltage AC input frequency AC input frequency Energy saving mode Fower consumption (max)  Fasy to use  Power  Power  Power  Power  Power consumption (max)		Countertop	Easy to clean	✓
Programmable  Coffee input type *  Coffee capsule, Coffee pod, Ground coffee  AC input voltage AC input frequency AC input frequency  Energy saving mode  Automatic anti-calc  Power consumption (max)  1450 W  1450 W	• • •	'	Easy to use	✓
Coffee input type * Coffee capsule, Coffee pod, Ground coffee AC input voltage AC input frequency 50 Hz Calc-clean function	Water tank capacity *	0.6 L	Power	
Coffee coffee AC input frequency 50 Hz  Calc-clean function Fine Energy saving mode  Automatic anti-calc Power consumption (max) 1450 W	Programmable	✓	Power *	1450 W
Calc-clean function   Energy saving mode  Automatic anti-calc  Power consumption (max)  1450 W	Coffee input type *		, ,	
Automatic anti-calc Power consumption (max) 1450 W	Calc-clean function	✓		
	Automatic anti-calc	✓	<i>5,</i> 5	
	Self-cleaning	✓	Tone: consumption (max)	1.50 11

Performance		Weight & dimensions	
Quick start Brewing time (1 cup) Warm-up time Activation type Country of origin	ne (1 cup)  25 s  ime  20 s  type  Push button  origin  China  design  Italy  n  CE, ROHS, ERP, Food contact	Width Depth Height Weight Packaging content	115 mm 280 mm 250 mm 1.2 kg
Country of design Certification		Manual Coffee capsule included	<i>y</i>
Cooking functions & programs  Coffee making  Espresso making *  Americano making	<b>* * * *</b>	Number of coffee capsules included Coffee pod included Number of coffee pods included Packaging content	✓
Ristretto making  Latte making  Doppio+ making  Lungo making  Tea making	× × × × × × × × × × × × × × × × × × ×	<b>Technical details</b> Warranty period	2 year(s)



8054890195683

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.