

TP-Link VIGI C400HP Cupola Telecamera di sicurezza IP Interno e esterno 2304 x 1296 Pixel Soffitto

Marchio: TP-Link Codice prodotto: VIGI C400HP-2.8

Nome del prodotto: VIGI C400HP

TP-Link VIGI C400HP. Tipo: Telecamera di sicurezza IP, Posizionamento supportato: Interno e esterno, Tecnologia di connessione: Cablato. Tipo di montaggio: Soffitto, Colore del prodotto: Bianco, Fattore di forma: Cupola. Illuminazione min.: 0,1 lx, Angolo di rotazione: 360°, Angolo di visione dell'obiettivo, orizzontale: 105°. Tipo sensore: CMOS, Dimensioni sensore ottico: 25,4 / 2,7 mm (1 / 2.7"). Distanza di visione notturna: 30 m





Performance		Video	
Type * Placement supported * Connectivity technology * PTZ control	IP security camera Indoor & outdoor Wired	Maximum resolution * Total megapixels * Video compression formats Frame rate Bit rate	2304 x 1296 pixels 3 MP H.264, H.265 30 fps 64 Kbps - 6 Mbps
Design			04 Kbps - 0 Mbps
Form factor *	Dome	Network	
Mounting type * Product colour * Housing material International Protection (IP) code	Ceiling White Plastic IP67	Ethernet LAN * Supported network protocols	TCP/IP, UDP, ICMP, HTTP, HTTPS, DHCP, DNS, RTSP, NTP, UPnP UDP, SSL/TLS
Camera		Wi-Fi *	×
	/	Bluetooth *	×
Camera pan control		Storage	
Camera tilt control	•	Built-in HDD *	×
Minimum illumination	0.1 lx	Ports & interfaces	
Angle of rotation Lens viewing angle, horizontal	360° 105°		_
Lens viewing angle, nonzontal Lens viewing angle, vertical	56°	Ethernet LAN (RJ-45) ports	1
Lens viewing angle, diagonal	125°	Security	
Tilt angle range	0 - 85°	Password protection	✓
Pan range	0 - 360°	IP address filtering	✓
Image sensor		HTTPS encryption	✓
Number of sensors	1	Mirror	✓
Optical sensor size	25.4 / 2.7 mm (1 / 2.7")	Power	
Sensor type *	CMOS		DC
		Power source type * DC output voltage	12
Lens system		DC output voitage	12
Number of lenses *	1		

Night vision		Weight & dimensions	
Night vision *	✓	Width	123 mm
Night vision distance	30 m	Depth	83 mm
		Height	123 mm
		Weight	195 g
		Packaging content	
		Number of cameras *	1
		Logistics data	
		Harmonized System (HS) code	85258900





6935364072322

6935364072315

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.